Product Bulletin

June, 2009

EX-74

General	EX-74 is specially formulated to resist yellowing from exposure to sunlight.
A/B Mix Ratio	1:1
Thin Film Set Time/Hour	5
Durometer Hardness 2 Hours @ 60° C)	78 +/- 3
Tensile Strength	3390
Tensile Modulus	261,500
Tensile Elongation %	24
Flexural Yield Strength	6752
Flexural Yield Strain	5.8
Flexural Yield Modulus	197,848
Tg - °C	53
Viscosity CPS @ 77° F: Resin (A) Hardener (B)	3500 1400
Density (lbs/gal): Resin (A) Hardener (B)	9.64 8.05
VOC (grams/liter)	0
Gel Time (minutes) (100 gram mass @ 22° C)	51 +/- 3

READ AND UNDERSTAND MATERIAL SAFETY DATA SHEET (MSDS) FOR THIS PRODUCT BEFORE USING.

PRECAUTIONS: AVOID INHALATION, INGESTION, EYE AND SKIN CONTACT. WEAR PROTECTIVE GLOVES AND GOGGLES. DO NOT WEAR CONTACT LENSES. DO NOT TAKE INTERNALLY. USE ONLY IN ADEQUATE VENTILATED AREAS. USE WINDOW EXHAUST FAN OR OTHER SUITABLE EQUIPMENT TO REMOVE VAPORS AWAY FROM THE WORK AREA. WASH WITH SOAP AND WATER AFTER USE. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: SKIN CONTACT: Irritation, dryness, flaking. After sensitization, hives or rashes.

EYE CONTACT: Irritation, redness, or eye watering.

INHALATION: Irritation. After sensitization allergy type symptoms, with possible breathing difficulties. May cause Central Nervous System (CNS) depression. Evident by headache, dizziness, or nausea.

EYE CONTACT: Irritation, redness, or eye watering.

INGESTION: Irritation. Large quantities may cause nausea, and vomiting. May cause Central Nervous System (CNS) depression. Evident by headache, dizziness, or nausea.

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: Remove any contact lenses and flush eyes for 15 minutes with water. Hold eyelids open to ensure complete flushing. CONTACT A PHYSICIAN IMMEDIATELY.

SKIN CONTACT: Remove contaminated clothing/shoes and wipe excess from skin. Flush skin with water. Follow by washing with soap and water. If irritation occurs, GET MEDICAL ATTENTION. Do not reuse clothing until cleaned. Contaminated leather articles, including shoes, cannot be decontaminated and should be destroyed to prevent reuse.

INHALATION: Leave the area to obtain fresh air. If breathing has stopped, give artificial respiration then oxygen if needed. If difficulty breathing or other symptoms continue, CALL A PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY or the Poison Control Center. If patient is conscious, give 12-16 oz of water for dilution effect only. Do not give anything by mouth to an unconscious or convulsing person.

IMPORTANT:

Technical information supplied by Environmental Technology, Inc. shall not constitute a representation, warranty or condition. All such advice is given and accepted at the buyer's risk.

The test data and results set forth herein do not necessarily indicate the results that the buyer or user will attain. Full-scale testing and product performance is the responsibility of the buyer and user.

ETI PO Box 365 Fields Landing, CA 95537 707-443-9323 Fax 707-443-7962 eti@eti-usa.com